JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 52

AUTHOR INDEX

		No.	Page
	ALFARO H., G., see CHANG G., A. (24)		
1.	ANGELL, R. W., Spiculate *Trochammina* tests: *Carterina* analogues?	1	182
	ANSTEY, R. L., see PREZBINDOWSKI, D. R. (114)		
2.	ARMSTRONG-ZIEGLER, J. G., An aniliid snake and associated vertebrates from the Campanian of New Mexico	2	480
	ARNOFF, S. M., see TUCKER, J. K. (158)		
	ARRATIA F., G., see CHANG G., A. (24)		
3.	AUSICH, W. I., *Pisocrinus* from California, Nevada, Utah and Gaspé Peninsula (paleontological note)	2	487
	AUSICH, W. I., see KELLY, S. M. (72)		
	AWRAMIK, S. M., see KNOLL, A. H. (77)		
	BAIRD, D., see ZIDEK, J. (170)		
	BARGHOORN, E. S. see KNOLL, A. H. (77)		
4.	BATTEN, B. L., and D. G. TAYLOR, Reassessment of the age of the Thompson Limestone, Lower Jurassic, Plumas County, California (paleontological note)	1	208
5.	BELL, B. M., and J. SPRINKLE, *Totiglobus*, an unusual new edrioasteroid from the Middle Cambrian of Nevada	2	243
6.	BERDAN, J. M., The Silurian-Devonian Boundary, edited by Anders Martinsson (review)	2	513
7.	BERDAN, J. M., and M. J. COPELAND, Redescription of the Early Devonian beyrichiacean ostracode *Arikloedenia occidentalis* (Walcott, 1884)	2	234
	BERGGREN, W. A., see HAQ, B. U. (51)		
8.	BEUS, S. S., Late Devonian (Frasnian) invertebrate fossils from the Jerome Member of the Martin Formation, Verde Valley, Arizona	1	40
9.	BISHOP, G. A., Two new crabs, *Sodakus tatankayotankaensis*, n. gen., n. sp. and *Raninella oaheensis* n. sp. (Crustacea, Decapoda), from the Upper Cretaceous Pierre Shale of South Dakota	3	608
10.	BOAZ, N. T., and J. HAMPEL, Strontium content of fossil tooth enamel and diet of early hominids	4	928
11.	BOLT, J. R., and R. E. DEMAR, Taxonomic position of *Captorhinoides valensis* Olson (Reptilia: Captorhinomorpha)	4	934
12.	BOTTJER, D. J., C. ROBERTS, and D. E. HATTIN, Stratigraphic and ecologic significance of *Pycnodonte kansasense*, a new Lower Turonian oyster from the Greenhorn Limestone of Kansas	6	1208
13.	BOUCOT, A. J., and R. E. SMITH, First Upper Silurian fossils from northern Newfoundland	2	267
	BOUCOT, A. J., see SAVAGE, N. M. (129)		
	BOWN, T. M., see ROSE, K. D. (124)		
	BOYD, D. W., see NEWELL, N. D. (103)		
14.	BREMAN, E., *Krithe keyi* nom. nov., revision of an ostracode species name (taxonomic note)	3	580
15.	BRETT, C. E., Description and paleoecology of a new Lower Silurian camerate crinoid	1	91
16.	BRETT, C. E., Attachment structures in the rhombiferan cystoid *Caryocrinites* and their paleobiological implications	3	717
17.	BRIGGS, D. E. G., A new trilobite-like arthropod from the Lower Cambrian Kinzers Formation, Pennsylvania	1	132
18.	BROADHEAD, T. W., and H. L. STRIMPLE, Systematics and distribution of the Callocystitidae (Echinodermata, Rhombifera)	1	164
19.	BROUWERS, E. M., and J. E. HAZEL, Ostracoda and correlation of the Severn Formation (Navarroan; Maestrichtian) of Maryland (monograph)	6	(II)
20.	BROWER, J. C., and J. VEINUS, Multivariate analysis of allometry using point coordinates	5	1037
21.	BUCHBINDER, B., Calcareous Algae, by John L. Wray (review)	4	951

22. BURKE, J. J., and R. K. PABIAN, Two crowns of *Cibolocrinus patriciae* (Crinoidea, Flexibilia) from the Lower Permian of Bolivia 5 1065
23. CARTER, J. G., and M. J. S. TEVESZ, Shell microstructure of a Middle Devonian (Hamilton Group) bivalve fauna from central New York 4 859
24. CHANG G., A., G. ARRATIA F., and G. ALFARO H., *Percichthys lonquimayiensis* n. sp. from the Upper Paleocene of Chile (Pices, Perciformes, Serranidae) 3 727
25. CHAPRONIERE, G. C. H., A record of "Lepidocyclina" (Foraminiferida) from DSDP Leg 30, Site 286, western Pacific Ocean (paleontological note) 4 938
26. CHATTERJEE, S., *Indosuchus* and *Indosaurus*, Cretaceous carnosaurs from India 3 570
27. CHATTERTON, B. D. E., and D. G. PERRY, An Early Eifelian invertebrate faunule, Whittaker Anticline, northwestern Canada 1 28
28. CHORN, J., and K. N. WHETSTONE, On the use of the term *nomen vanum* in taxonomy (paleontological note) 2 494
29. CHURCHILL, F. B., Ontogeny and Phylogeny, by Stephen Jay Gould (review) 6 1395
CHURKIN, M., JR., see SAVAGE, N. M. (130)
30. COLBERT, E. H., The Distribution of the Karroo Vertebrate Fauna, by J. W. Kitching (review) 4 948
COLBERT, E. H. see EDWARDS, M. B. (39)
31. COOMBS, M. C., A premaxilla of *Moropus elatus* Marsh, and evolution of chalicotherioid anterior dentition 1 118
32. COOMBS, W. P., JR., Forelimb muscles of the ankylosauria (Reptilia, Ornithischia) 3 642
COPELAND, M. J., see BERDAN, J. M. (7)
COPELAND, M. J., see SCHRAM, F. R. (133)
33. CURRIE, P. J., The orthometric linear unit 5 964
34. DECOURTEN, F. L., *Scolecocoprus cameronensis* Brady (1947) from the Kaibab Limestone of northern Arizona: a re-interpretation (paleontological note) 2 491
DEMAR, R. E., see BOLT, J. R. (11)
35. DOUGLASS, R. C., Geology and Paleontology of Southeast Asia, Volume 17, edited by T. Kobayashi and W. Hashimoto (review) 4 949
36. DURHAM, J. W., A lower Cambrian eocrinoid 1 195
37. DURHAM, J. W., Polymorphism in the Pliocene sand dollar *Merriamaster* (Echinoidea) 2 275
38. DUTRO, J. T., JR., Mississippian-Pennsylvanian Boundary in Northeastern Oklahoma and Northwestern Arkansas, edited by P. K. Sutherland and W. L. Manger (review) .. 4 948
EBERLEIN, G. D., see SAVAGE, N. M. (130)
39. EDWARDS, M. B., R. EDWARDS, and E. H. COLBERT, Carnosaurian footprints in the Lower Cretaceous of eastern Spitsbergen (paleontological note) 4 940
EDWARDS, R., see EDWARDS, M. B. (39)
40. EMRY, R. J., A new hypertragulid (Mammalia, Ruminantia) from the early Chadronian of Wyoming and Texas 5 1004
41. FÄHRAEUS, L. E., and G. S. NOWLAN, Franconian (Late Cambrian) to Early Champlainian (Middle Ordovician) conodonts from the Cow Head Group, western Newfoundland 2 444
42. FELDMANN, R. M., R. G. OSGOOD, JR., E. J. SZMUC, and D. W. MEINKE, *Chagrinichnites brooksi*, a new trace fossil of arthropod origin 2 287
43. FELDMANN, R. M., and R. R. WEST, *Huhatanka*, a new genus of lobster (Decapoda: Mecochiridae) from the Kiowa Formation (Cretaceous: Albian) of Kansas 6 1219
FELDMANN, R. M., see SCHRAM, F. R. (133)
FLEISHER, R. L., see STEINECK, P. L. (145)
44. FLOWER, R. H., A Schoharie Grit (Devonian, New York) ammonoid 5 1001
45. FREST, T. J., and H. L. STRIMPLE, The flexible crinoid genus *Anisocrinus* (Ordovician-Silurian) in North America 3 683
FREST, T. J., see KELLY, S. M. (73)
FUNK, R. S., see TUCKER, J. K. (156)
FURNESS, R. W., see TAYLOR, P. D. (150)
46. GAWNE, C. E., Leporids (Lagomorpha, Mammalia) from the Chadronian (Oligocene) deposits of Flagstaff Rim, Wyoming 5 1103
47. GIVENS, C. R., An occurrence of the Tethyan genus *Volutilithes* (Gastropoda: Volutidae) in the Eocene of California 1 104
48. GONZALEZ, C. R., *Orbiculopecten* gen. nov. (Aviculopectinidae, Bivalvia), from the Upper Carboniferous of Patagonia, Argentina 5 1086

49. GREAVES, W. S., The posterior zygomatic root in oreodonts (paleontological note) 3 740
GURUSWAMI-NAIDU, R., see ROTH, B. (127)
GUTSCHICK, R. C., see RODRIGUEZ, J. (121)
HAMPEL, J., see BOAZ, N. T. (10)
50. HANSEN, M. C., A presumed lower dentition and a spine of a Permian petalodontiform Chondrichthyan, *Megactenopetalus kaibabanus* 1 55
51. HAQ, B. U., and W. A. BERGGREN, Late Neogene calcareous plankton biochronology of the Rio Grande Rise (South Atlantic Ocean) 6 1167
52. HARMON, W. L., Notification of new repository for Kopf Collection, Paleozoic echinoderm type specimens (paleontological note) 1 206
53. HARPER, J. A., and R. W. MORRIS, A new encrinasterid ophiuroid from the Conemaugh Group (Pennsylvanian) of western Pennsylvania, and revision of the Encrinasteridae ... 1 155
54. HARRISON, W. B., III, *Palaeoneilo halli* n. sp., a new name for *P. fecunda* Hall and Whitfield, 1870 (taxonomic note) 3 749
HATTIN, D. E., see BOTTJER, D. J. (12)
55. HAVLÍČEK, V., and J. KŘÍŽ, Middle Cambrian *Lamellodonta simplex* Vogel: "Bivalve" turned brachiopod *Trematobolus simplex* (Vogel) 5 972
56. HELFRICH, C. T., A conodont fauna from the Keyser Limestone of Virginia and West Virginia 5 1133
57. HOARE, R. D., and M. T. STURGEON, Color pattern variation in *Callistadia spirallia* n. sp. (Pennsylvanian, Gastropoda) 3 532
58. HOARE, R. D., and M. T. STURGEON, The Pennsylvanian gastropod genera *Cyclozyga* and *Helminthozyga* and the classification of the Pseudozygopleuridae 4 850
59. HOARE, R. D., M. T. STURGEON, and E. A. KINDT, New Pennsylvanian bivalves and occurrences of Pseudoconocardium from Ohio and West Virginia 5 1023
HORNER, J., see SCHRAM, F. R. (134)
60. HOTCHKISS, F. H. C., Studies on echinodern ray homologies: Lovén's Law applies to Paleozoic ophiuroids 3 537
HUSSAIN, S. T., see WEST, R. M. (163)
61. JACKSON, J. B. C., Patterns of Evolution as Illustrated by the Fossil Record, edited by A. Hallam (review) 5 1166
62. JELETZKY, J. A., and K. M. WAAGE, Revision of *Ammonites conradi* Morton 1834, and the concept of *Discoscaphites* Meek 1870 ..... 5 1119
63. JOHNSON, J. G., and G. KLAPPER, Devonian brachiopods and conodonts from central Oregon 2 295
64. JOHNSON, J. G., N. L. PENROSE, and M. T. WISE, Biostratigraphy, biotopes and biogeography in the Lower Devonian (upper Lochkovian, lower Pragian) of Nevada 4 793
65. JONES, B., Taxonomy and intraspecific variation of *Protathyris praecursor* Kozlowski, 1929 from the Upper Silurian of Somerset Island, Arctic Canada 1 8
66. JONES, B., *Rossella*: a new Silurian pentamerid brachiopod from the Canadian Arctic . 3 545
67. JONES, C. C., The type of *Chione cortinaria* (W. B. Rogers and H. D. Rogers) (Mollusca: Bivalvia) (paleontological note) 3 746
68. KAMMER, R. W., and R. A. RAFF, Additional information on *Hoploparia bearpawensis* Feldmann (Crustacea: Decopoda) from the Bearpaw Shale (Cretaceous: Campanian) of northeastern Montana (paleontological note) 6 1388
69. KANJILAL, S., A new species of *Kheraiceras* Spath (Ammonoidea) from the Lower Callovian of Habo Hill, Kutch (paleontological note) 2 495
70. KATZ, B. J., Preparation of calcareous nannofossil assemblages for chemical examination (paleontological note) 2 497
71. KATZ, S. G., Revision of the Morrowan (Lower Pennsylvanian) *Pentremites* from Oklahoma and Arkansas 3 675
72. KELLY, S. M., and W. I. AUSICH, A new Lower Ordovician (Middle Canadian) disparid crinoid from Utah 4 916
73. KELLY, S. M., T. J. FREST, and H. L. STRIMPLE, Additional information on *Simplococrinus persculptus* 6 1227
74. KENNEDY, C. M. A., An improved technique for revealing the internal structure of microfossils by scanning electron microscopy (paleontological note) 2 506
KENNETT, J. P., see MALMGREN, B. A. (88)
75. KERN, J. P., Paleoenvironment of new trace fossils from the Eocene Mission Valley Formation, California 1 186

76. KEYES, S. W., and C. W. PITRAT, Spiriferid brachiopods from the Traverse Group of Michigan: Cyrtinacea 2 221
KINDT, E. A. see HOARE, R. D. (59)
KLAPPER, G., see JOHNSON, J. G. (63)
77. KNOLL, A. H., E. S. BARGHOORN, and S. M. AWRAMIK, New microorganisms from the Aphebian Gunflint Iron Formation, Ontario 5 976
78. KOSANKE, R. M., A Review of Gondwana Permian Palynology with particular reference to the northern Karoo Basin South Africa, J. M. Anderson. *In*: The Biostratigraphy of the Permian and Triassic (review) 6 1399
KŘÍŽ, J., see HAVLÍČEK, V. (55)
79. KUES, B. S., Polyplacophora from the Salem Limestone (Mississippian) in central Indiana 2 300
KYLLO, L. R., see TUFTIN, S. E. (159)
80. LANGSTON, W., JR., AND H. ROSE, A yearling crocodilian from the Middle Eocene Green River Formation of Colorado 1 122
81. LAUB, R. S., Axial torsion in corals (paleontological note) 3 737
LEMONE, D. V., see NYE, O. B., JR. (104)
LESPERANCE, P. J., see SHEEHAN, P. M. (139)
82. LICARI, G. R., Biogeology of the late pre-Phanerozoic Beck Spring Dolomite of eastern California 4 767
83. LINDSAY, E. H., *Eucricetodon asiaticus* (Matthew and Granger), an Oligocene rodent (Cricetidae) from Mongolia 3 590
84. LOEBLICH, A. R., and H. TAPPAN, Some Middle and Late Ordovician microphytoplankton from central North America 6 1233
85. LOEBLICH, A. R., and H. TAPPAN, The coccolithophorid genus *Calcidiscus* Kamptner and its synonyms (paleontological note) 6 1390
LUCKACS, J. R., see WEST, R. M. (163)
86. LUNDIN, R. F., "Baby Mammoth Dima": A new discovery (paleontological note) 4 941
87. MACURDA, D. B., JR., The Mississippian blastoid genus *Cribroblastus* 6 1288
88. MALMGREN, B. A., and J. P. KENNETT, Late Quaternary paleoclimatic applications of mean size variations in *Globigerina bulloides* d'Orbigny in the southern Indian Ocean .. 6 1195
89. MANCINI, E. A., Origin of micromorph faunas in the geologic record 2 311
90. MANCINI, E. A., Origin of the Grayson micromorph fauna (Upper Cretaceous) of north-central Texas 6 1294
MAPES, R. H., see TUCKER, J. K. (157)
MAPES, R. H., see TUCKER, J. K. (158)
91. MARTIN, J. E., A new and unusual shrew (Soricidae) from the Miocene of Colorado and South Dakota 3 636
92. MARTIN, R. A., A new late Pleistocene *Conepatus* and associated vertebrate fauna from Florida 5 1079
93. MCGOWAN, C., Further evidence for the wide geographical distribution of ichthyosaur taxa (Reptilia: Ichthyosauria) (paleontological note) 5 1155
94. MCKINNEY, F. K. Astogeny of the lyre-shaped Carboniferous fenestrate bryozoan *Lyroporella* 1 83
MEINKE, D. W., see FELDMANN, R. M. (42)
95. MELVILLE, R. V., *Paleofavosites*/*Palaeofavosites* (taxonomic note) 1 121
96. MILLER, B. B., A radiocarbon-dated (Wisconsinan) molluscan fauna from southeastern Kansas 5 993
97. MILLER, H. W., *Geosternbergia*, a new name for *Sternbergia* Miller, 1972: *non* Paulo Couto 1970; *non* Jordon, 1925 (taxonomic note) 1 194
98. MILLER, R. H., Early Silurian to Early Devonian conodont biostratigraphy and depositional environments of the Hidden Valley Dolomite, southeastern California 2 323
99. MOLNAR, R. E., A new theropod dinosaur from the Upper Cretaceous of central Montana 1 73
MORRIS, R. W., see HARPER, J. A. (53)
100. MORRIS, S. C., *Laggania cambria* Walcott: a composite fossil 1 126
101. MORRIS, W. J., *Hypacrosaurus altispinus*? Brown from the Two Medicine Formation, Montana, a taxonomically indeterminate specimen 1 200
MOSSMAN, D. J., see SARJEANT, W. A. S. (128)
MUNTHE, J., JR., see WEST, R. M. (163)
MURPHY, S. E., see TILLMAN, J. R. (154)
102. NAGY, L. A., New filamentous and cystous microfossils, ≈2,300 m.y. old, from the Transvaal Sequence 1 141

103. NEWELL, N. D., and D. W. BOYD, The type species of *Paraschizodus* Newell and Boyd, 1975 (taxonomic note) 1 213
NOWLAN, G. S., see FÄHRAEUS, L. E. (41)
104. NYE, O. B., JR., and D. V. LEMONE, Multilaminar growth in *Reptomulticava texana*, a new species of cyclostome bryozoa 4 830
105. ORMISTON, A. R., *Monorakos* (Trilobita) from the Ordovician of the Seward Peninsula, Alaska 2 345
OSGOOD, R. G., JR., see FELDMANN, R. M. (42)
106. OSTROM, J. H., *Leptoceratops gracilis* from the "Lance" Formation of Wyoming 3 697
107. PABIAN, R. K., and H. L. STRIMPLE, *Delocrinus vastus* Lane & Webster from the Hughes Creek Shale (Lower Permian), Richardson County, Nebraska (paleontological note) 6 1393
PABIAN, R. K., see BURKE, J. J. (22)
108. PALMER, T. J., Burrows at certain omission surfaces in the Middle Ordovician of the Upper Mississippi Valley 1 109
109. PARSLEY, R. L., Thecal morphology of the Ordovician paracrinoid *Comarocystites* (Echinodermata) 2 472
PENROSE, N. L., see JOHNSON, J. G. (64)
PERRY, D. G., see CHATTERTON, B. D. E. (27)
110. PFEFFERKORN, H. W., Die Floren des Erdaltertums (Floras of the Paleozoic), by Winfried Remy and Renate Remy (review) 5 1163
111. PITRAT, C. W., and F. S. ROGERS, *Spinocyrtia* and its epibionts in the Traverse Group (Devonian) of Michigan 6 1315
PITRAT, C. W., see KEYES, S. W. (76)
112. POAG, C. W., and P. C. VALENTINE, Stratigraphic Micropaleontology of Atlantic Basin and Borderlands, edited by F. M. Swain (review) 3 750
113. POPLIN, C. M., An actinopterygian with a long rostrum from the Pennsylvanian of Logan Quarry, Indiana 3 524
114. PREZBINDOWSKI, D. R., and R. L. ANSTEY, A Fourier–numerical study of a bryozoan fauna from the Threeforks Formation (Late Devonian) of Montana 2 353
115. RAUP, D. M., Approaches to the extinction problem 3 517
116. RIEDEL, W. R., Systems of morphological descriptors in paleontology 1 1
117. RIGBY, J. K., Two wewokellid calcareous sponges in North America 3 705
118. RIGBY, J. K., Porifera of the Middle Cambrian Wheeler Shale, from the Wheeler Amphitheater, House Range, in western Utah 6 1325
119. RIGBY, J. K., and D. F. TOOMEY, A distinctive sponge spicule assemblage from organic buildups in the Lower Ordovician of southern Oklahoma (paleontological note) 2 501
ROBERTS, C., see BOTTJER, D. J. (12)
120. ROBERTS, J., Concepts and Methods of Biostratigraphy, edited by Erle G. Kauffman and Joseph E. Hazel (review) 3 751
121. RODRIGUEZ, J., and R. C. GUTSCHICK, A new shallow water *Schizophoria* from the Leatham Formation (Late Famennian), northeastern Utah 6 1346
ROGERS, F. S., see PITRAT, C. W. (111)
ROSE, H., see LANGSTON, W., JR. (80)
122. ROSE, K. D., Results of the Polish-Mongolian Palaeontological Expeditions, Parts II–VI, edited by Zofia Kielan-Jaworowska (review) 1 214
123. ROSE, K. D., A new Paleocene epoicotheriid (Mammalia), with comments on the Palaeanodonta 3 658
124. ROSE, K. D., T. M. BOWN, and E. L. SIMONS, *Alocodontulum*, a new name for *Alcodon* Rose, Bown and Simons, 1977, *non* Thulborn, 1973 (taxonomic note) 5 1162
125. ROSS, C. A., Distortion of fossils in shales (paleontological note) 1 943
126. ROSS, C. A., Boundaries of Geologic Systems, edited by B. M. Keller, A. V. Geyve, V. G. Gerbova, V. A. Krascheninnikov and P. P. Timofeev (review) 4 946
127. ROTH, B., and R. GURUSWAMI-NAIDU, A new Mio ene species of *Nutallia* (Mollusca: Bivalvia) from the Salinas Valley, California 1 61
128. SARJEANT, W. A. S., and D. J. MOSSMAN, *Peratodactylopus*, new name for the vertebrate footprint ichnogenus *Anticheiropus* Sarjeant and Mossman, 1978, *non* Hitchcock, 1865 (taxonomic note) 5 1102
129. SAVAGE, N. M., and A. J. BOUCOT, Middle Devonian brachiopods from the Kennett Formation, northern California 4 807
130. SAVAGE, N. M., G. D. EBERLEIN, and M. CHURKIN, JR., Upper Devonian brachiopods from the Port Refugio Formation, Suemez Island, southeastern Alaska 2 370

131. SCHOPF, J. M., Traité de Paléobotanique, by Ed. Boureau and J. Doubinger (review) . 2 512
132. SCHRAM, F. R., *Jerometichenoria grandis* n. gen., n. sp. (Crustacea: Mysidacea) from the lower Permian of the Sovi t Union 3 605
133. SCHRAM, F. R., R. M. FELDMANN, and M. J. COPELAND, The Late Devonian Palaeopalaemonidae and the earliest decapod crustaceans 6 1375
134. SCHRAM, F. R., and J. HORNER, Crustacea of the Mississippian Bear Gulch Limestone of central Montana 2 394
135. SCOTT, R. W., *Micritosphaera,* a new Cretaceous microfossil (paleontological note) 2 508
136. SCOTT, R. W., Paleobiology of Comanchean (Cretaceous) cardiids (Cardiinae), North America 4 881
137. SCOTT, R. W., Holotype of *Cardita belviderensis* Cragin, 1894 (paleontological note) .. 4 945
SHAAK, G. D., see ZACHOS, L. G. (168)
138. SHEEHAN, R. M., The hinging mechanisms of brachiopods—taphonomic considerations (paleontological note) 3 748
139. SHEEHAN, P. M., and P. J. LESPERANCE, Effect of predation on the population dynamics of a Devonian brachiopod 4 812
SIMONS, E. L., see ROSE, K. D. (124)
140. SIMPSON, L. C., Comments on the pelycosaur *Edaphosaurus* and the validity of the species *E. minuta* Tasch (taxonomic note) 1 211
141. SLAUGHTER, B. H., Occurrences of didelphine marsupials from the Eocene and Micoene of the Texas Gulf Coastal Plain (paleontological note) 3 744
SMITH, R. E., see BOUCOT, A. J. (13)
142. SOLEM, A., Cretaceous and early Tertiary camaenid land snails from western North America (Mollusca: Pulmonata) 3 581
143. SORAUF, J. E., Upper Devonian *Pachyphyllum* (rugose coral) from New York State ... 4 818
144. SPENCER, R. S., Paleoecologic response and cyclothemic phase of *Chonetinella flemingi* and *C. alata* from the Pennsylvanian of Kansas 6 1356
SPRINKLE, J., see BELL, B. M. (5)
145. STEINECK, P. L., and R. L. FLEISHER, Towards the classical evolutionary reclassification of Cenozoic Globigerinacea (Foraminiferida) 3 618
146. STOKES, W. L., Impressions of lizard scales from the Green River Formation (Eocene), Uinta Basin, Utah 2 407
147. STRIMPLE, H. L., Ambulacral covering plates and plates covering the oral field in *Stellarocrinus* (Crinoidea) (paleontological note) 1 209
148. STRIMPLE, H. L., and C. CONEY, *Paratalarocrinus,* a new camerate genus from the Upper Mississippian of Virginia (paleontological note) 2 484
STRIMPLE, H. L., see BROADHEAD, T. W. (18)
STRIMPLE, H. L., see T. J. FREST (45)
STRIMPLE, H. L., see KELLY, S. M. (73)
STRIMPLE, H. L., see PABIAN, R. K. (107)
STURGEON, M. T., see HOARE, R. D. (57)
STURGEON, M. T., see HOARE, R. D. (58)
STURGEON, M. T., see HOARE, R. D. (59)
SZMUC, E. J., see FELDMANN, R. M. (42)
TAPPAN, H., see LOEBLICH, A. R. (84)
TAPPAN, H., see LOEBLICH, A. R. (85)
TAYLOR, D. G., see BATTEN, B. L. (4)
149. TAYLOR, M. E., The type species of the Late Cambrian trilobite *Eurekia* Walcott, 1916 5 1054
150. TAYLOR, P. D., and R. W. FURNESS, Astogenetic and environmental variation of zooid size within colonies of Jurassic *Stomatopora* (Bryozoa, Cyclostomata) 5 1093
151. TEETER, J. W., Cephalopod touch marks from the Craigleith Member, Whitby Formation (Ordovocian) of central Ontario 1 178
152. TEICHERT, C., Korallenriffe. Ihre Verbreitung, Tierwelt und Ökologie, by Helmut Schuhmacher (review) 4 947
153. TEICHERT, C., Ammoniten. Ihr Leben und Ihre Umwelt, by Ulrich Lehmann (review) 4 951
TEICHERT, C., see WHETSTONE, K. N. (165)
TEVESZ, M. J. S., see CARTER, J. G. (23)
154. TILLMAN, J. R., and S. E. MURPHY, Ostracodes of the superfamily Hollinacea from Middle Devonian rocks of central Ohio 2 411
155. TOOMEY, D. F., Stromatolites, edited by M. R. Walter (review) 6 1400
TOOMEY, D. F., see RIGBY, J. K. (119)

156. TUCKER, J. K., and R. S. FUNK, Emendation of the nautiloid name *Cymatoceras loeblichli* Miller and Harris (taxonomic note) 1 213
157. TUCKER, J. K., and R. H. MAPES, Coiled nautiloid cephalopods from the Wolf Mountain Shale (Pennsylvanian), North-central Texas 3 596
158. TUCKER, J. K., R. H. MAPES and S. M. ARNOFF, New coiled nautiloids from the Wewoka Formation (Pennsylvanian) of Oklahoma 1 67
159. TUFTIN, S. E., and L. R. KYLLO, Problematical fossils in the Ordovician of Minnesota 4 846
160. TURNER, B. R., Trace fossils from the Upper Triassic fluviatile Molteno Formation of the Karoo (Gondwana) Supergroup, Lesotho 5 959
VALENTINE, P. C., see POAG, C. W. (112)
VEINUS, J., see BROWER, J. C. (20)
WAAGE, K. M., see JELETZKY, J. A. (62)
161. WARD, P. D., Baculitids from the Santonian-Maestrichtian Nanaimo Group, British Columbia, Canada and Washington State, USA 5 1143
162. WELCH, J. R., *Pterotocrinus rugosus* Lyon & Casseday from the Middle Chesterian of the Illinois Basin 4 904
163. WEST, R. M., J. R., LUKACS, J. MUNTHE, JR., and S. T. HUSSAIN, Vertebrate fauna from Neogene Siwalik Group, Dang Valley, western Nepal 5 1015
WEST, R. R., see FELDMANN, R. M. (43)
164. WESTERMANN, G. E. G., *Alaskinia* nom. nov. for *Alaskoceras* Westermann, 1969 *non* Miller and Kummel, 1945; Jurassic Ammonitina (taxonomic note) 3 604
165. WHETSTONE, K. N., and C. TEICHERT, A new genus of nautiloid cephalopods from the Mooreville Formation (Cretaceous) of Alabama 2 440
WHETSTONE, K. N., see CHORN, J. (28)
166. WHITMORE, F. C., JR., Athlon: Essays on Paleontology in Honor of Loris Shano Russell, edited by C. S. Churcher (review) 6 1401
167. WICANDER, R., The type species of the acritarch genus *Pustulisphaeridium* Wicander, 1974 (taxonomic note) 3 716
WISE, M. T., see JOHNSON, J. G. (64)
168. ZACHOS, L. G., and G. D. SHAAK, Stratigraphic significance of the Tertiary echinoid *Eupatagus ingens* Zachos 4 921
169. ZIDEK, J., New chondrichthyan spines from the Late Paleozoic of Oklahoma 5 1070
170. ZIDEK, J., and D. BAIRD, *Cercariomorphus* Cope, 1885, identified as the aïstopod amphibian *Ophiderpeton* 3 561
171. ZINSMEISTER, W. J., Three new species of *Pulvinites* (Mollusca: Bivalvia) from Seymour Island (Antarctic Peninsula) and Southern California 3 565

SUBJECT INDEX

Abditoloculina septiloculina: new species, ostracode (154)
Abditoloculina filaloculina: new species, ostracode (154)
Abditoloculina quinqueloculina: new species, ostracode (154)
Abundacapsa impages: new genus and new species, alga (82)
Acanthopecten bellosum: new species, bivalve (59)
Acritarch: type species for *Pustulisphaeridium* (167)
Actinotodissus crassus: new genus and new species, microphytoplankton (84)
Actinotodissus longitaleosus: new species, microphytoplankton (84)
Adornofusa microhapsis: new genus and new species, microphytoplankton (84)
Aenigmacarididae: new family, Crustacea (134)
Aenigmacaris cornigerum: new genus and new species, Crustacea (134)
Alabama: nautiloid, Cretaceous (165)
Alaska: brachiopods, Devonian (130); trilobites, Ordovician (10)
Alaskinia: revised new genus name, ammonite (164)
Algae: Precambrian, Gunflint Iron Formation, Ontario (77)
Allometry: multivariate analysis of (20)
Allorhynchoides kirki: new genus and new species, brachiopod (130)
Alocodontulum: new mammalian genus name (124)
Amelotabes simpsoni: new genus and new species, mammal (123)
Ammonoidea: baculitids, Cretaceous, British Columbia and Washington (161); Cretaceous, concept of *Discoscaphites* (62); Devonian, New York (44)
Amphibia: Pennsylvanian, Ohio (170)
Anisocrininae: new subfamily, crinoid (45)
Anisocrinus laurelensis: new species, crinoid (45)
Antarctica: bivalves, Cretaceous (171)
Antibythocypris crassa: new species, ostracode (19)
Antibythocypris elongata: new species, ostracode (19)
Antibythocypris trisulcata: new species, ostracode (19)
Argentina: bivalve, Upper Carboniferous (48)
Arizona: invertebrates, Devonian (8); trace fossils, Permian (34)
Arkansas: blastoids, Pennsylvanian (71)
Armathyraster paradoxis: new genus and new species, ophiuroid (53)
Arthropoda: lobster, Cretaceous, Kansas (43); trilobite-like, Cambrian, Pennsylvania (17)
Ascetoleberis: new genus, ostracode (19)
Astogeny: bryozoan, Carboniferous (94)
Atribonium arizonensis: new species, brachiopod (8)
Attachment structures: cystoid, *Caryocrinites* (16)
Aviculopecten appalachianus: new species, bivalve (59)
Aviculopecten columbiana: new species, bivalve (59)
Baiomeniscus seleniskos: new species, microphytoplankton (84)
Baiomeniscus eumecus: new species, microphytoplankton (84)
Bairdops beargulchensis: new species, Crustacea (134)
Baltisphaeridium accinctum: new species, microphytoplankton (84)
Baltisphaeridium aliquigranulum: new species, microphytoplankton (84)
Baltisphaeridium aspersilumiferum: new species, microphytoplankton (84)
Baltisphaeridium bystrentos: new species, microphytoplankton (84)
Baltisphaeridium disparicanale: new species, microphytoplankton (84)
Baltisphaeridium oligopsakium: new speci s, microphytoplankton (84)
Baltisphaeridium parvigranosum: new species, microphytoplankton (84)
Baltisphaeridium perclarum: new species, microphytoplankton (84)
Baltisphaeridium trophirapium: new species, microphytoplankton (84)
Beckspringia communis: new genus and new species, alga (82)
Biogeography: Devonian, Nevada (64)
Biostratigraphy: conodont, Silurian-Devonian, California (98); Devonian, Nevada (64); Tertiary echinoids (168)
Bivalvia: Cambrian, *Lamellodonta simplex* is a brachiopod (55); Cretaceous and Paleocene, California and Antarctica (171); Cretaceous, North America, paleobiology (136); holotype of *Cardita belviderensis* (137); Miocene, California (127); oyster, Cretaceous, Kansas (12); Pennsylvanian, Ohio and

West Virginia (59); shell structure, Devonian, New York (23); type of *Chione cortinaria* (67); type species of *Paraschizodus* (103); Upper Carboniferous, Argentina (48)
Blastoidea: *Cribroblastus,* Mississippian (87); revision of *Pentremites,* Pennsylvanian, Oklahoma and Arkansas (71)
Bolivia: flexible crinoids, Permian (22)
Brachiopoda: Cambrian "bivalve" *Lamellodonta simplex* (55); Cyrtinacea, Devonian, Michigan (76); Devonian, Alaska (130); Devonian, California (129); Devonian, regon (63); Devonian, predation and population dynamics (139); Devonian, Utah (121); hinging mechanism (138); Pennsylvanian, Kansas, paleoecology (144); Silurian, Canada (65); Silurian, Canadian Arctic (66); Silurian, Newfoundland (13)
British Columbia: ammonoids, Cretaceous (161); *Laggania cambria,* composite fossil, Cambrian (100)
Bryozoa: astogeny of *Lyroporella,* Carboniferous (94); cyclostome, multilaminar growth (104); Devonian, Montana (114); Jurassic, variation of zooid size, *Stomatopora* colonies (150)
Bullasphaera variegata: new genus and new species, alga (82)
California: biogeology, Beck Springs Dolomite, Precambrian (82); bivalves, Miocene (127); bivalves, Paleocene (171); brachiopods, Devonian (129); conodont biostratigraphy, Silurian-Devonian (98); Eocene gastropod, *Volutilithes* (47); eo rinoid, Latham Shale, Cambrian (36); Thompson Limestone, reassigned to the Lower Jurassic (4); trace fossils, Eocene (75)
Callistadia spirallia: new species, gastropod (57)
Callocystitidae: systematics and distribution (18)
Cambrian: bivalve turned brachiopod (55); conodonts, Newfoundland (41); edrioasteroid, Nevada (5); eocrinoid, California (36); *Laggania cambria*, composite fossil, British Columbia (100); Porifera, Utah (118); trilobite-like arthropod, Pennsylvania (17); trilobites, type species of *Eurekia* (149)
Canada: brachiopod, Silurian (65); brachiopods, Silurian (66); invertebrate faunule, Devonian (27)
Carboniferous: bivalve, Argentina (48); bryozoans, astogeny (94)
Cenozoic: Globigerinacea, evolutionary reclassification (145)
Cephalopoda: ammonoid, Cretaceous, India (69); coiled nautiloids, Pennsylvanian, Oklahoma (158); nautiloids, Pennsylvanian, Texas (157); new nautiloid, Cretaceous, Alabama (165)
Cercariomorphus Cope: is amphibian *Ophiderpeton* (170)
Chadrolagus emryi: new genus and new species, mammal (46)
Chagrinichnites brooksi: new ichnogenus and ichnospecies, trace fossil (42)
Chancelloria pentacta: new species, sponge (118)
Chapinella bucareliensis: new genus and new species, brachiopod (130)
Cheleutochroa gymnobrachiata: new genus and new species, microphytoplankton (84)
Chile: fishes Paleocene (24)
Chondrichthyan: spines, Late Paleozoic, Oklahoma (169)
Cleiothyridina milleri: new species, brachiopod (130)
Cleithronetrum cancellatum: new genus and new species, microphytoplankton (84)
Coccolithophorid: *Calcidiocus,* synonyms (85)
Colorado: Eocene crocodilian, Green River Formation (80); shrew, Miocene (91)
Color pattern: gastropods, Pennsylvanian (57)
Composite fossil: *Laggania cambria,* Cambrian (100)
Conepatus robustus: new species, mammal (92)
Conglobocella troxelii: new genus and new species, alga (82)
Conodonts: Cambrian, Newfoundland (41); Devonian, Oregon (63); Keyser Limestone, Virginia and West Virginia (56); Silurian-Devonian, California (98)
Convoluticeras (?) *schoharie*: new species, ammonoid (44)
Coral: *Paleofavosites,* correct spelling (95)
Corals: axial torsion (81); Devonian, New York (143)
Correlation: Severn Formation, Cretaceous, Maryland (19)
Cretaceous: ammonoid, concept of *Discoscaphites* (62); ammonoid, India (69); ammonoids, British Columbia and Washington (161); aniliid snake, New Mexico (2); bivalves, California and Antarctica (171); bivalves, North America, paleobiology (136); carnosaurian footprints, Spitsbergen (39); ceratopsian dinosaur, Wyoming (106); crabs, South Dakota (9); decapod crustaceans, Montana (68) dinosaurs, India (26); land snails, westerr. North America (142); lobster, Kansas (43); microfossil, Texas (135); micromorph fauna (90); nautiloid, Alabama (165); ostracods, Maryland (19); oyster, Kansas (12); theropod dinosaur, Montana (99)
Crinoidea: Flexibilia, Permian, Bolivia (22); Mississippian, Illinois (162); Mississippian, Virginia (148); Ordovician, Kentucky (73); Ordovician-Silurian, North America (45); Ordovician, Utah (72); Permian, Nebraska (107); Silurian, California, Nevada, Utah, Gaspé Peninsula (3); Silurian camerate, New York (15); *Stellarocrinus,* ambulacral covering and oral field plates (147)

Crocodilian: Eocene, Green River Formation, Colorado (80)
Crurithyris alaskensis: new species, brachiopod (130)
Crustacea: decapod, Cretaceous, Montana (68); decapod, Cretaceous, South Dakota (9); Devonian, earliest decapod (133); Mississippian, Montana (134); Permian, Soviet Union (132)
Cyclothems: Pennsylvanian, and brachiopod paleoecologic response (144)
Cyclozyga attenuata: new species, gastropod (58)
Cyrtina alpenensis plicata: new subspecies, brachiopod (76)
Cyrtina curvirostrata: new species, brachiopod (76)
Cyrtina quadrata: new species, brachiopod (76)
Cyrtina thaeroptera: new species, brachiopod (76)
Cyrtospirifer buddingtoni: new species, brachiopod (130)
Depositional environment: Hidden Valley Dolomite, California (98)
Devonian: ammonoid, New York (44); biostratigraphy, Nevada (64); bivalve shell microstructure (23); brachiopod predation (139); brachiopods, Alaska (130); brachiopods and conodonts, Oregon (63); brachiopods, California (129); brachiopods, Michigan (76); brachiopods, Utah (121); bryozoans, Montana (114); conodont biostratigraphy, California (98); corals, New York (143); decapod crustaceans (133); epibionts on brachiopods, Michigan (111); invertebrate faunule, northwestern Canada (27); invertebrates, Arizona (8); ostracode, redes ription of *Arikloedenia occidentalis* (7); ostracodes, Ohio (154); trace fossil (42)
Diagoniella robisoni: new species, sponge (118)
Dinosaur: theropod, Cretaceous, Montana (99)
Discoaster brouweri bipartus: new subspecies, nannoplankton (51)
Disparifusa perryi: new species, microphytoplankton (84)
Disparifusa psakadoria: new species, microphytoplankton (84)
Distortion of fossils: in shales (125)
Dithyrocaris rolfei: new species, Crustacea (134)
Domatoceras texanum: new species, nautiloid (157)
Donaldina micra: new species, gastropod (8)
Drepanodontinae: new subfamily, conodont (41)
Drepanoistodinae: new subfamily, conodont (41)
Edmondia nodulifera: new species, bivalve (59)
Edrioasteroid: Cambrian, Nevada (5)
Echinodermata: Callocystitidae, systematics and distribution (18); cystoids, attachment structures (16); edrioasteroid, Cambrian, Nevada (5); Paleozoic, Kopf Collection, new repository (52); Paracrinoidea, Ordovician, Ontario (109); ray homologies and Lovén's Law (60)
Echinoidea: Pliocene, polymorphism (37); Tertiary, stratigraphic significance (168)
Eocene: crocodilian, Colorado (80); foraminiferids, southwestern Pacific core (25); lizard scale impressions, Utah (146); marsupials, Texas (141); trace fossils, paleoecology, California (75); *Volutilithes*, gastropod, California (47)
Eocrinoid: Cambrian, California (36)
Epibionts: on *Spinocyrtia*, Devonian, Michigan (111)
Escharacytheridea magnamandibulata: new genus and new species, ostracode (19)
Estiastra avita: new species, microphytoplankton (84)
Estiastra oklahomensis: new species, microphytoplankton (84)
Eucythere alexanderi: new species, ostracode (19)
Eupoikilofusa anolota: new species, microphytoplankton (84)
Eupoikilofusa ctenista: new species, microphytoplankton (84)
Eupoikilofusa parvuligranosa: new species, microphytoplankton (84)
Eupoikilofusa platynetrella: new species, microphytoplankton (84)
Eupoikilofusa striata: new combination, microphytoplankton (84)
Evolutionary classification: Globigerinacea (145)
Excultibrachium concinnum: new genus and new species, microphytoplankton (84)
Extinction: approaches to (115)
Fish: actinopterygian, Pennsylvanian, Indiana (113); Paleocene, Chile (24); Permian, chondrichthyan spine and teeth (50)
Fissocarinocythere: new genus, ostracode (19)
Flaccivelum directisegmentum: new species, ostracode (154)
Florida: echinoids, Tertiary (168); skunk, Pleistocene (92)
Foraminifera: spiculate *Trochammina* tests (1)
Foraminiferida: Eocene, southwestern Pacific core (25); Globigerinacea, evolutionary reclassification (145)
Fossil distortion: in shales (125)

Gastropoda: classification of Pseudozygopleuridae, Pennsylvanian (58); Pennsylvanian, color pattern (57); pulmonates, Cretaceous and Tertiary, western North America (142); *Volutilithes,* Eocene, California (47)
Geographic distribution: ichthyosaurs (93)
Geosternbergia: new subgenus name for *Sternbergia,* reptile (97)
Giogia ojenai: new species, eocrinoid (36)
Globigerina bulloides: size variation and paleoclimate (88)
Gorgonisphaeridium antiquum: new species, microphytoplankton (84)
Granocardium (*Granocardium*) *inflatum*: new species, bivalve (136)
Growth: in cyclostome bryozoans (04)
Gunflint Iron Formation: algae, Ontario (77)
Gyalorhethium chondrodes: new genus and new species, microphytoplankton (84)
Gyalorhethium spinuliferum: new species, microphytoplankton (84)
Hapacrosaurus altispinus?: Cretaceous dinosaur, Montana (101)
Helminthozyga undulata: new species, gastropod (58)
Helminthozyga costellata: new species, gastropod (58)
Hinging mechanism: brachiopods (138)
Hollinella (*Keslingella*) *ephippiata*: new species, ostracode (1 4)
Hollinella (*Keslingella*) *luxilobata*: new species, ostracode (154)
Hollinella (*Keslingella*) *rectisegmentata*: new species, ostracode (154)
Hollinella (*Keslingella*) *stewartae*: new species, ostracode (154)
Homalocrininae: new subfamily, crinoid (45)
Hominid teeth: strontium content (10)
Homoctenus caldwelli: new species, tentaculid (27)
Huhatanka: new genus, lobster (43)
Illinois: crinoids, Mississippian (162)
India: ammonoid, Cretaceous (69); dinosaurs, Cretaceous (26)
Indiana: actinopterygian, Pennsylvanian (113); polyplacophorans, Mississippian (79)
Jerometichenoria grandis: new genus and new species, crustacean (132)
Johnsonathyris adrianensis: new genus and new species, brachiopod (130)
Jurassic: bryozoans, variation in zooid size, *Stomatopora* colonies (150); Thompson Limestone, California (4)
Kansas: brachiopods, Pennsylvanian, paleoecology (144); lobster, Cretaceous (43); mollusks, Pleistocene (96); oyster, Cretaceous (12)
Karoo Supergroup: trace fossils, Triassic (160)
Kentucky: crinoids, Ordovician (73)
Keyser Limestone: conodont fauna, Virginia and West Virginia (56)
Kheraiceras probullatum: new species, ammonoid (69)
Kiehnensus arcua: new genus and new species, *Incertae Sedis* (159)
Kindleina suemezensis: new genus and new species, brachiopod (130)
Kopf Collection: Paleozoic echinoderms, new repository (52)
Krithe keyi: revised new species name, ostracode (14)
Late Paleozoic: wewokellid sponges (117)
Latisphaera wrightii: new genus and new species, alga (82)
Leiofusa litotes: new species, microphytoplankton (84)
Leiovalia crassa: new species, microphytoplankton (84)
Leiovalia scaberula: new species, microphytoplankton (84)
Leiovalia teretis: new combination, microphytoplankton (84)
Leptoteichos golubicii: new genus and new species, alga (77)
Lophosphaeridium edenense: new species, microphytoplankton (84)
Lophosphaeridium leptomolgion: new species, microphytoplankton (84)
Lophosphaeridium shaveri: new species microphytoplankton (84)
Loxoconcha minardi: new species, ostracode (19)
Macerodus dianae: new genus and new species, conodont (41)
Maculosphaera kingstonensis: new genus and new species, alga (82)
Mammalia: hominids, strontium in teeth (10); Lagomorpha, Oligocene, Wyoming (46); Oligocene, Wyoming and Texas (40); oreodonts, zygomatic root (49); palaeanodont, Paleocene, Wyoming (123); premaxilla of *Moropus elatus* (31); rodent, Oligocene, Mongolia (83); shrew, Miocene, Colorado and South Dakota (91); skunk, Pleistocene, Florida (92)
Mammoth: baby, Siberia (86)
Marsupials: Eocene and Miocene, Texas (141)

Martin Formation: Devonian, invertebrates (8)
Maryland: ostracodes, Cretaceous (19)
Megalytrum diacenum: new genus and new species, alga (77)
Mesozoic: bryozoans, multilaminar growth (104)
Michigan: brachiopods, Devonian (76); epibionts on brachiopods, Devonian (111)
Micritosphaera ovalis: new genus and new species, microfossil (135)
Microfossils: Cretaceous, Texas (135); electron microscopy technique (74); Precambrian, California (82); Precambrian, Transvaal Sequence, South Africa (102)
Microphytoplankton: Ordovician, central North America (84)
Micromorph faunas: origin (89); Cretaceous, Texas (90)
Microstructure: bivalve shells, Devonian (23)
Minnesota: problematical fossils, Ordovician (159)
Miocene: bivalve, California (127); mammal, *Moropus elatus* premaxilla (31); marsupials, Texas (141); shrew, Colorado and South Dakota (91)
Mississippian: blastoid (87); crinoids, Virginia (148); Illinois (162); Crustacea, Montana (134); polyplacophorans, Indiana (79)
Modiolus (*Modiolus*) *radiatus*: new species, bivalve (59)
Mollusca: Pleistocene, Kansas (96)
Mongolia: rodent, Oligocene (83)
Monorakos kledos: new species, trilobite (105)
Montana: bryozoans, Devonian (114); Crustacea, Mississippian (134); decapod crustaceans, Cretaceous (68); hadrosaurian dinosaur, Two Medicine Formation (101); theropod dinosaur, Cretaceous (99)
Morphology: attachment structures, *Caryocrinites*, cystoid (16); bryozoans, variation in zooid size, *Stomatopora* colonies (150); descriptors in paleontology (116); echinoderm ray homologies (60); paracrinoid thecae, Ordovician (109); size variation and paleoclimate, planktonic foraminifers (88)
Mucrospirifer refugiensis: new species, brachiopod (130)
Multivariate analysis: of allometry (20)
Muscles: forelimb, ankylosauria (32)
Nautiloid: emendation of *Cymatoceras loeblichli* (156)
Navifusa indianensis: new species, microphytoplankton (84)
Navifusa punctata: new species, microphytoplankton (84)
Nannofossils: calcareous, preparation of (70)
Nannoplankton: calcareous, Neogene, Rio Grande Rise (51)
Nebraska: crinoids, Permian (107)
Neobistrialites nodosus: new genus and new species, nautiloid (158)
Neogene: calcareous plankton, Rio Grande Rise (51); vertebrates, Nepal (163)
Nepal: vertebrates, Neogene (163)
Nevada: biostratigraphy, Devonian (64); edrioasteroid, Cambrian (5)
Newfoundland: brachiopods, Silurian (13); conodonts, Cambrian (41)
New Mexico: aniliid snake, Cretaceous (2)
New York: ammonoid, Devonian (44); bivalve shell microstructure, Devonian (23); camerate crinoid, Silurian (15); corals, Devonian (143)
Nicklesopora renzettiae: new species, bryozoan (114)
Nomen vanum: use in taxonomy (28)
North America: bivalves, Cretaceous, paleobiology (136); central microphytoplankton, Ordovician (84)
Nuttallina salina: new species, bivalve (127)
Ohio: bivalves, Pennsylvanian (59); gastropods, Pennsylvanian (58); ostracodes, Devonian (154)
Oklahoma: blastoids, Pennsylvanian (71); chondrichthyan spines, Late Paleozoic (169); coiled nautiloids, Pennsylvanian (158); sponge spicules, Ordovician (119)
Oligocene: mammals, Wyoming (46); mammals, Wyoming and Texas (40); rodent, Mongolia (83)
Ontario: algae, Precambrian (77); cephalopod touch marks, Ordovician (151); paracrinoid, Ordovician (109)
Ophiuroidea: Pennsylvanian, Pennsylvania (53); ray homologies and Lovén's Law (60)
Orbiculopecten parma: new genus and new species, bivalve (48)
Ordovician: burrows (108); cephalopod touch marks, Ontario (151); conodonts, Newfoundland (41); crinoid, Utah (72); crinoids, Kentucky (73); crinoids, North America (45); microphytoplankton, central North America (84); paracrinoid, Ontario (109); problematical fossils, Minnesota (159); sponge spicules, Oklahoma (119); trilobites, Alaska (105)
Ordovicidium aequifercatum: new combination, microphytoplankton (84)
Ordovicidium groetlingboensis: new combination, microphytoplankton (84)
Ordovicidium heteromorphicum: new combination, microphytoplankton (84)

Ordovicidium majorfurcatum: new combination, microphytoplankton (84)
Ordovicidium majorvesiculum: new combination, microphytoplankton (84)
Ordovicidium nudum: new combination, microphytoplankton (84)
Oregon: brachiopods and conodonts, Devonian (63)
Orthometric linear unit: pelycosaur measurements (33)
Ostracoda: Cretaceous, Maryland (19); Devonian, redescription of *Arikloedenia occidentalis* (7); Devonian, Ohio (154)
Pachyphyllum woodmani avocaensis: new subspecies, coral (143)
Pachyphyllum woodmani woodmani: new subspecies, coral (143)
Palaeobiology: bivalves, Cretaceous, North America (136)
Palaeoneilo halli: new species name for *P. fecunda* Hall and Whitfield, 1870 (54)
Palaeosiphonella cloudii: new genus and new species, alga (82)
Paleocene: bivalves, California and Antarctica (171)
Paleoclimate: and size variations, Quaternary planktonic foraminifers (88)
Paleocene: fishes, Chile (24); palaeanodont mammal, Wyoming (123)
Paleoecology: crinoid, Silurian (15); Pennsylvanian brachiopods, Kansas (144); trace fossils, Eocene, California (75)
Paleofavosites: coral, correct spelling (95)
Paleozoic: chondrichthyan spines, Oklahoma (169)
Parabolbinoides quinqueportica: new genus and new species, ostracode (154)
Paranisocrinus: new genus, crinoid (45)
Paratalarocrinus transitorius: new genus and new species, crinoid (148)
Parvitragulus priscus: new genus and new species, hypertragulid mammal (40)
Pelycosaur: orthometric linear unit measurements (33)
Pennsylvania: nautiloids, Texas (157); ophiuroid, Conemaugh Group, Pennsylvanian (53); trilobite-like arthropod, Cambrian (17)
Pennsylvanian: actinopterygian, Indiana (113); bivalves, Ohio and West Virginia (59); blastoids, Oklahoma and Arkansas (71); brachiopods, Kansas, paleoecology (144); gastropods (58); gastropods, color pattern (57); nautiloids, Oklahoma (158); ophiuroid, Pennsylvania (53)
Peratodactylopus: new ichnogenus (128)
Percichthys lonquimayiensis: new species, fish (24)
Perimecturus rapax: new species, Crustacea (134)
Peripetoceras bridgeportense: new species, nautiloid (157)
Peripetoceras wewokense: new species, nautiloid (158)
Permian: captorhinomorph reptile, taxonomy (11); chondrichthyan fish, Arizona (50); crinoids, Nebraska (107); crustaceans, Soviet Union (132); flexible crinoids, Bolivia (22); trace fossils, Arizona (34)
Pisocrinus: Silurian crinoid, California, Nevada (3)
Placopterina ohioensis: new genus and new species, bivalve (59)
Pleistocene: mollusks, Kansas (96); skunk, Florida (92)
Pleuriocardia (*Pleuriocardia*) *orthoprymnos*: new genus, new subgenus and new species, bivalve (136)
Pleuriocardia (*Dochmocardia*): new subgenus, bivalve (136)
Pliocene: echinoids, polymorphism (37)
Pogocrinus antiquus: new genus and new species, crinoid (72)
Poikilofusa plethysticha: new species, microphytoplankton (84)
Poikilofusa syrdenospermatella: new species, microphytoplankton (84)
Polymorphism: in echinoids, Pliocene (37)
Polyplacophora: Mississippian, Indiana (79)
Population dynamics: effect of predation, Devonian brachiopods (139)
Porifera: Cambrian, Utah (118); spicule buildup, Ordovician, Oklahoma (119); wewokellid sponges, Late Paleozoic (117)
Precambrian: algae, Ontario (77); biogeology, Beck Spring Dolomite, California (82); microfossils, South Africa (102)
Predation: and population dynamics, Devonian brachiopods (139)
Priscotheca diadella: new species, microphytoplankton (84)
Proanisocrinus: new genus, crinoid (45)
Problematical fossils: Ordovician, Minnesota (159)
Promytilus pottsvillensis: new species, bivalve (59)
Pseudomonotis millhorni: new species, bivalve (59)
Pterochiton elevatus: new species, polyplacophoran (79)
Ptychocrinus medinensis: new species, crinoid (15)
Pulvinites antarctica: new species, bivalve (171)

Pulvinites californica: new species, bivalve (171)
Pulvinites pacifica: new species, bivalve (171)
Pycnodonte kansasense: new species, oyster (12)
Quaternary: paleoclimate and size variations, planktonic foraminfers (88)
Quebec: brachiopods, Devonian, predation on (139)
Raninella oaheensis: new species, decapod (9)
Regispongia: new genus, sponge (117)
Reptilia: aniliid snake, Cretaceous, New Mexico (2); ankylosauria, forelimb muscles (32); ceratopsian dinosaur, Cretaceous, Wyoming (106); dinosaurs, Cretaceous, India (26); *Edaphosaurus*, comments on (140); hadrosaurian dinosaur, Cretaceous, Montana (101); ichthyosaur paleogeography (93); lizard scale impressions, Eocene, Utah (146); taxonomy, captorhinomorphs (11)
Reptomulticava texana: new species, bryozoan (104)
Rhiptosocherma improcera: new genus and new combination, microphytoplankton (84)
Rossella arctica: new genus and new species, brachiopod (66)
Rossella cunninghamensis: new species, brachiopod (66)
Rugaltarostrum congregabile: new species, brachiopod (130)
Sairocaris centurion: new species, Crustacea (134)
Scalaridomus flexuosus: new ichnogenus and ichnospecies, trace fossil (108)
Schizodus acuminatus: new species, bivalve (59)
Schizophoria williamsi: new species, brachiopod (121)
Siberia: baby mammoth in permafrost (86)
Silurian: brachiopod, Canada (65); brachiopods, Canadian Arctic (66); brachiopods, northern Newfoundland (13); camerate crinoid, New York (15); conodont biostratigraphy, California (98); crinoid, California, Nevada, Utah, Gaspé Peninsula (3); crinoids, North America (45)
Sodakus tatankayotankaensis: new genus and new species, decapod (9)
South Africa: microfossils, Transvaal Sequence, Precambrian, (102)
South Atlantic: nannoplankton, Neogene, Rio Grande Rise (51)
South Dakota: crabs, Cretaceous (9); shrew, Miocene (91)
Soviet Union: crustaceans, Permian (132)
Sphen lithus grandis: new species, nannoplankton (51)
Spinulicosta prima: new species, brachiopod (27)
Spitsbergen: carnosaurian footprints, Cretaceous (39)
Stenzeloceras sinuosum: new genus and new species, nautiloid (165)
Strontium: in hominid teeth (10)
Taxonomy: Callocystitidae, Echinodermata (18); *Captorhinoides valensis* Olson, Permian reptile (11); *Protathyris praecursor*, Silurian brachiopod (65); use of *nomen vanum* (28)
Technique: microfossils, electron microscopy (74); multivariate analysis of allometry (20); orthometric linear measurements (33); preparation of calcareous nannofossils (70)
Tertiary: echinoids, stratigraphic significance (168); land snails, western North America (142)
Tetrasaculus absindoloculatus: new species, ostracode (154)
Texas: mammals, Oligocene (40); marsupials, Eocene and Miocene (141); microfossil, Cretaceous (135); micromorph fauna, Cretaceous (90); nautiloids, Pennsylvanian (157)
Thompson Limestone: reassigned to the Lower Jurassic, California (4)
Totiglobus mimius: new genus and new species, edrioasteroid (5)
Trace fossil: Devonian (42); vertebrate footprint (128)
Trace fossils: burrows, Ordovician (108); carnosaurian footprints, Cretaceous, Spitsbergen (39); cephalopod touch marks, Ordovician, Ontario (151); Eocene, California (75); Permian, Arizona (34); Triassic, Karoo Supergroup (160)
Triassic: trace fossils, Karoo Supergroup (160)
Trilobita: Cambrian, type species of *Eurekia* (149); Ordovician, Alaska (105)
Trochammina: spiculate tests (1)
Tunisphaeridium eisenackii: new species, microphytoplankton (84)
Tyrridiocystis chelyon: new genus and new species, ophiuroid (18)
Unklesbayella: new genus, bivalve (59)
Utah: brachiopods, Devonian (121); crinoid, Ordovician (72); lizard scale impressions, Eocene (146); Porifera, Cambrian (118)
Vertebrates: Neogene, Nepal (163)
Virginia: conodont fauna, Keyser Limestone (56); crinoid, Mississippian (148)
Volutilithes torryensis: new species, gastropod (47)
Washington: ammonoids, Cretaceous (161)

Western North America: land snails, Cretaceous (142)
West Virginia: bivalves, Pennsylvanian (59); conodont fauna, Keyser Limestone (56)
Wewoka Formation: nautiloids, Pennsylvanian, Oklahoma (158)
Wilsonos rex bateslandensis: new species, shrew (91)
Wilsonosorex conulatus: new genus and new species, shrew (91)
Wyoming: ceratopsian dinosaur, Cretaceous (106); mammals, Oligocene (40); mammals, Oligocene (46); palaeanodont mammal, Paleocene (123)